



**KINGWAY LOCK SAFETY LOCK** 

**SMART DOOR LOCK** 



National Sanda Champion safeguards your home's security, ensuring the safety and happiness of your family.

www.kingwaylock.com





20 Years of Trials and Hardships

Thank You for Accompanying Us Along the Way.



# COMPANY PROFILE

Jinhua Hengwei Display Co., Ltd. is a high-tech enterprise integrating smart door lock research and development, industrial design, production and sales. Our product range includes magnetic card locks, password locks, fingerprint locks, camera recognition locks, and remote control locks. According to customer needs, we can provide smart door locks suitable for different scenarios, such as home, hotels, apartments and villas, campuses, office buildings, shared spaces, logistics parks, etc. Currently, Kingway has a long-standing partnership with the well-known Chinese brand Haotaitai, providing specialized OEM and ODM services for different customer.

Our production base is located in Dongyang, known as the "Town of a Hundred Crafts," covering an area of 26.6 acres. It has an independent production line and a technical and production management team of nearly a hundred people. The company continually develops and innovates new products, exporting to many countries and regions worldwide, and providing tailored solutions to customers from diverse locales.

"Kingway Locks, Safe Locks" is based on people-oriented, scientific and technological innovation, and safer to ensure a happier home for you. We strive for excellence, aiming to provide a superior smart living experience and work together to create a brilliant future. We warmly invite you to visit our factory for an on-site inspection and sincerely look forward to cooperating with you!







Zhejiang Jinhua Production Base

# **DEVELOPMENT**

**COURSE** 

2006 2011

Certified to IS09001 Obtained "National High-Tech Enterprise Certification"

2014 2019

Purchased 42 acres of land and invested 120 million yuan to build the second phase of the project Acquisition of Hunan Nikko Display Technology Co. Construction of liquid crystal module production line 2025

Completed the listing counseling on theBejing Stock Exchange

2021

Recognized as a national "Specialized, Specialized and New Small Giant" enterprise won the "New Hunan Contribution Award".

Passed IS014001 system certification

Launched the listing program

2022 2023

Construction of the third phase of the project

Completion of listing on Hunan Stock Exchange Science and Technology Innovation

Completion of listing on the New Third Board Listing counseling on the Bei Stock Exchange

17733 m<sup>2</sup>

Zhejiang Jinhua Production site area 28000 m<sup>2</sup>

Chenzhou, Hunan Production site area

2200 People **R&D Team** 

300 People

R&D Team

2003 2005

Establish Kingway (Chenzhou) Electronic Co., Ltd.

Production line completed and put into operation

### New World of Big Screens Never been Seen before

New design of indoor and outdoor dual color screens, 8H tempered level, bid farewell to traditional button operations, multiple UI backgrounds for customers to switch, more Human-centered



KINGWAY LOCK SAFETY LOCK

**SMART DOOR LOCK** 





### **H88**

CNC carving | dual color screen | 3D face Recognition smart lock

#### **Main Configuration Features**

Version Configurations: H88 (UseeCloud Home),

H88-1 (Tuya

H88-2 (Multilingual Edition)

Unlocking Methods: Face/Fingerprint/Password/

RFID Card/Key

/wechat Mini Program/APP R

Low Power Alarm/

Error Attempt Alarm



#### The main technical parameters

Main material: Fully carving(aluminum type)

Product size: 435mm\*79mm Working power: 6.2V-9V

Working temperature:-30\*C-70°C

FRR:<1%

FAR:<0.001%

Anti-static ability: contact 8KV/air discharge 15KV

Face entry: 50

Number of cards: 100

Number of passwords: 100

Number of fingerprints:100

Suitable Door Types: security doors, wooden doors, stainless steel doors, etc.
Suitable lock body: 6068 lock body, Dabawang lock body, etc.

- 1. CNC carving technology, ultra-thin panel design, full of technological sense;
- 2. 3D human identification, automatic identification and unlocking without contact, must meet the requirements;
- 3. Swedish FPC semiconductor fingerprint sensor, touch sand open
- 4. Financial grade security encryption chip and stable circuit board solution;
- 5. Active video intercom, real-time monitoring by mobile phone, unlocking by fortune operation
- 6. Super wide-angle Peephole, high-definition camera.
- 7. 4, 5-inch high-definition display, see more clearly, leaving no blind spots in the air
- 8. Seven unlocking methods, smart travel, safe and convenient























visual Intercon







## M01

CNC carving | dual color screen | 3D face Recognition smart lock

#### **Main Configuration Features**



### M02

CNC carving | dual color screen | 3D face Recognition smart lock

#### **Main Configuration Features**







#### The main technical parameters

Main material: Fully carving(aluminum type)

Working power: 6.2V-9V

Working temperature:-30\*C-70°C

FRR:<1%

FAR:<0.001%

Anti-static ability: contact 8KV/air discharge 15KV

Face entry: 50

Number of cards: 100

Number of passwords: 100

Number of fingerprints:100

Suitable Door Types: security doors, wooden doors, stainless steel doors, etc. Suitable lock body: 6068 lock body, Dabawang lock body, etc.

#### **Featured Functions**

- 1. CNC carving technology, ultra-thin panel design, full of technological sense;
- 2. 3D human identification, automatic identification and unlocking without contact, must meet the requirements;
- 3. Swedish FPC semiconductor fingerprint sensor, touch sand open
- 4. Financial grade security encryption chip and stable circuit board solution;
- 5. Active video intercom, real-time monitoring by mobile phone, unlocking by fortune operation
- 6. Super wide-angle Peephole, high-definition camera.
- 7. High-definition display, see more clearly, leaving no blind spots
- 8. Seven unlocking methods, smart travel, safe and convenient





















#### The main technical parameters

Main material: Fully carving(aluminum type)

Working power: 6.2V-9V

Working temperature:-30\*C-70°C

FRR:<1%

FAR:<0.001%

Anti-static ability: contact 8KV/air discharge 15KV

Face entry: 50

Number of cards: 100

Number of passwords: 100

Number of fingerprints:100

Suitable Door Types: security doors, wooden doors, stainless steel doors, etc.

Suitable lock body: 6068 lock body, Dabawang lock body, etc.

- 1. CNC carving technology, ultra-thin panel design, full of technological sense;
- 2. 3D human identification, automatic identification and unlocking without contact, must meet the requirements;
- 3. Swedish FPC semiconductor fingerprint sensor, touch sand open
- 4. Financial grade security encryption chip and stable circuit board solution;
- 5. Active video intercom, real-time monitoring by mobile phone, unlocking by fortune operation
- 6. Super wide-angle Peephole, high-definition camera.
- 7. High-definition display, see more clearly, leaving no blind spots
- 8. Seven unlocking methods, smart travel, safe and convenient

























03

# Intelligent opening Safeguard your home

Integrated fine carving CNC process, anodized oxidation treatment.

KINGWAY LOCK SAFETY LOCK

**SMART DOOR LOCK** 

Fire-resistant and high-temperature resistant, sturdy and durable,







### H85

CNC carving | dual color screen | 3D face Recognition smart lock

#### **Main Configuration Features**

Version Configurations: M01 (UseeCloud Home)

M01-1 (Tuya),

M01-2 (Multilingual Edition)

milocking Methous. race/ringerphilit/Password/

RFID Card/Key

/WeChat Mini Program/APP Remot

Alarm Functions: Anti-Tamper Alarm | Low Power Alarm | Error Attempt Alarm





#### The main technical parameters

Main material: Aluminum alloy +Fine carving process

Product size: 435mm\*79mm

Working power: 6.2V-9V

Working temperature:-30\*C-70°C

FRR:<1%

FAR:<0.001%

Anti-static ability: contact 8KV/air discharge 15KV

Face entry: 50

Number of cards: 100

Number of passwords: 100

Number of fingerprints:100

 ${\bf Suitable\ Door\ Types:\ security\ doors,\ wooden\ doors,\ stainless\ steel\ doors,\ etc.}$ 

Suitable lock body: 6068 lock body, Dabawang lock body, etc.

- 1. CNC carving technology, ultra-thin panel design, full of technological sense;
- 2. 3D human identification, automatic identification and unlocking without contact, must meet the requirements;
- 3. Swedish FPC semiconductor fingerprint sensor, touch sand open
- 4. Financial grade security encryption chip and stable circuit board solution;
- Active video intercom, real-time monitoring by mobile phone, unlocking by fortune operation
- 6. Super wide-angle Peephole, high-definition camera.
- 7. High-definition display, see more clearly, leaving no blind spots in the air
- 8. Seven unlocking methods, smart travel, safe and convenient













n Fingerprint Unlocking Combination Unlocking Swipe Card Unlocki









visual Intercom







## **H80**

Fully Automatic | 3D face Recognition smart lock

#### **Main Configuration Features**



**H97** 

Fully Automatic | 3D face Recognition smart lock

#### **Main Configuration Features**



#### The main technical parameters

Main material: Aluminum alloy +IMD Technology

Product size: 435mm\*79mm Working power: 6.2V-9V

Working temperature:-30\*C-70°C

FRR:<1%

FAR:<0.001%

Anti-static ability: contact 8KV/air discharge 15KV

Face entry: 50

Number of cards: 100 Number of passwords: 100 Number of fingerprints:100

Suitable Door Types: security doors, wooden doors, stainless steel doors, etc. Suitable lock body: 6068 lock body, Dabawang lock body, etc.

#### **Featured Functions**

- 1. Ultra-thin panel design, full of technological sense;
- 2. 3D human identification, automatic identification and unlocking without contact, must meet the requirements;
- 3. Swedish FPC semiconductor fingerprint sensor, touch sand open
- 4. Financial grade security encryption chip and stable circuit board solution;
- 5. Active video intercom, real-time monitoring by mobile phone, unlocking by fortune operation
- 6. Super wide-angle Peephole, high-definition camera.
- 7. High-definition display, see more clearly, leaving no blind spots
- 8. Seven unlocking methods, smart travel, safe and convenient





















#### The main technical parameters

Main material: Aluminum alloy +IMD Technology

Product size: 435mm\*79mm Working power: 6.2V-9V

Working temperature: -30\*C-70°C

FRR:<1% FAR:<0.001%

Anti-static ability: contact 8KV/air discharge 15KV

Face entry: 50 Number of cards: 100

Number of passwords: 100 Number of fingerprints:100

Suitable Door Types: security doors, wooden doors, stainless steel doors, etc. Suitable lock body: 6068 lock body, Dabawang lock body, etc.

#### **Featured Functions**

- 1. Ultra-thin panel design, full of technological sense;
- 2. 3D human identification, automatic identification and unlocking without contact, must meet the requirements;
- 3. Swedish FPC semiconductor fingerprint sensor, touch sand open
- 4. Financial grade security encryption chip and stable circuit board solution;
- 5. Active video intercom, real-time monitoring by mobile phone, unlocking by fortune operation
- 6. Super wide-angle Peephole, high-definition camera.
- 7. High-definition display, see more clearly, leaving no blind spots
- 8. Seven unlocking methods, smart travel, safe and convenient























07

### **Video Intercom** Safe And Visible



KINGWAY LOCK SAFETY LOCK **SMART DOOR LOCK** 



## H89

Fully Automatic | 3D face Recognition smart lock

#### **Main Configuration Features**



#### The main technical parameters

Main material: Aluminum alloy +IMD Technology

Product size: 435mm\*79mm

Working power: 6.2V-9V

Working temperature:-30\*C-70°C

FRR:<1%

FAR:<0.001%

Anti-static ability: contact 8KV/air discharge 15KV

Face entry: 50

Number of cards: 100

Number of passwords: 100

Number of fingerprints:100

Suitable Door Types: security doors, wooden doors, stainless steel doors, etc.

Suitable lock body: 6068 lock body, Dabawang lock body, etc.

- 1. Ultra-thin panel design, full of technological sense;
- 2. 3D human identification, automatic identification and unlocking without contact, must meet the requirements;
- 3. Swedish FPC semiconductor fingerprint sensor, touch sand open
- 4. Financial grade security encryption chip and stable circuit board solution;
- 5. Active video intercom, real-time monitoring by mobile phone, unlocking by fortune operation
- 6. Super wide-angle Peephole, high-definition camera.
- 7. High-definition display, see more clearly, leaving no blind spots
- 8. Seven unlocking methods, smart travel, safe and convenient























H19

Open with one squeeze | Fingerprint recognition

#### **Main Configuration Features**



H61

Open with one squeeze|Slide cover version|

#### **Main Configuration Features**



#### The main technical parameters

Main material: Steel

Product size: 435mm\*79mm

Working power: 6.2V-9V

Working temperature:-30\*C-70°C

FRR:<1%

FAR:<0.001%

Anti-static ability: contact 8KV/air discharge 15KV

Number of cards: 100 Number of passwords: 100

Number of fingerprints:100

Suitable Door Types: security doors, wooden doors, stainless steel doors, etc.

Suitable lock body: 6068 lock body, Dabawang lock body, etc.

#### Featured Functions

- 1. Swedish FPC semiconductor fingerprint sensor, touch sand open
- 2. Financial grade security encryption chip and stable circuit board solution;
- 3. Free protective handle design, prevent violent unlocking
- 4. Anti-peeping virtual password technology, prevent password leakage
- 5. Indoor anti-lock knob, external lock cannot be unlocked
- 6. External lock built-in power supply interface, connect to the power For emergency unlocking.



















#### The main technical parameters

Main material: Aluminum alloy +IMD Technology

Product size: 435mm\*79mm Working power: 6.2V-9V

Working temperature: -30\*C-70°C

FRR:<1%

FAR:<0.001%

Anti-static ability: contact 8KV/air discharge 15KV

Number of cards: 100 Number of passwords: 100 Number of fingerprints:50

Suitable Door Types: security doors, wooden doors, stainless steel doors, etc. Suitable lock body: 6068 lock body, Dabawang lock body, etc.

#### **Featured Functions**

- 1. Swedish FPC semiconductor fingerprint sensor, touch sand open
- 2. Financial grade security encryption chip and stable circuit board solution;
- 3. Free protective handle design, prevent violent unlocking
- 4. Anti-peeping virtual password technology, prevent password leakage
- 5. OLED display, simple operation, applicable and convenient
- 6. Indoor anti-lock knob, external lock can not be unlocked open
- 7. External lock built-in power supply interface, can be connected to the power emergency unlocking























11





### **H62**

Open with one squeeze | Fingerprint recognition

#### **Main Configuration Features**



### H01

Open with one squeeze|Slide cover version|

#### **Main Configuration Features**



#### The main technical parameters

Main material: Aluminum alloy +IMD Technology

Product size: 435mm\*79mm Working power: 6.2V-9V

Working temperature: -30\*C-70°C

FRR:<1%

FAR:<0.001%

Anti-static ability: contact 8KV/air discharge 15KV

Number of cards: 100 Number of passwords: 100 Number of fingerprints:100

Suitable Door Types: security doors, wooden doors, stainless steel doors, etc. Suitable lock body: 6068 lock body, Dabawang lock body, etc.

#### Featured Functions

- 1. Swedish FPC semiconductor fingerprint sensor, touch sand open
- 2. Financial grade security encryption chip and stable circuit board solution;
- 3. Free protective handle design, prevent violent unlocking
- 4. Anti-peeping virtual password technology, prevent password leakage
- 5. OLED display, simple operation, applicable and convenient
- 6. Indoor anti-lock knob, external lock can not be unlocked open
- 7. External lock built-in power supply interface, can be connected to the power emergency unlocking















#### The main technical parameters

Main material: Aluminum alloy +IMD Technology

Product size: 435mm\*79mm Working power: 6.2V-9V

Working temperature: -30\*C-70°C

FRR:<1%

FAR:<0.001%

Anti-static ability: contact 8KV/air discharge 15KV

Number of cards: 100 Number of passwords: 100 Number of fingerprints:50

Suitable Door Types: security doors, wooden doors, stainless steel doors, etc.

#### **Featured Functions**

1. Swedish FPC semiconductor fingerprint sensor, touch sand open

Suitable lock body: 6068 lock body, Dabawang lock body, etc.

- 2. Financial grade security encryption chip and stable circuit board solution;
- 3. Free protective handle design, prevent violent unlocking
- 4. Anti-peeping virtual password technology, prevent password leakage
- 6. Indoor anti-lock knob, external lock can not be unlocked open
- 7. External lock built-in power supply interface, can be connected to the power emergency unlocking













